

nature's paths select

birdseye maple

fiera

fresco

parallels

stonewash



EXPLORE COLORATIONS

AND TEXTURES INSPIRED

BY NATURAL ELEMENTS

FOR EXCEPTIONAL

FLOORING DESIGNS



Reminiscent of stained concrete in a variety of
low contrasting and deeply saturated colors.

fiera



12188 foothills
12186 fieldstone

A unique visual, taking on the look of stamped patterned concrete or stamped metal – depending on the coloration.

fresco



The muted hues of Stonewash are inspired by natural stone.

stonewash



12224 limestone

Birdseye Maple features the subtle beauty of maple with a natural warmth and rich elegance.

birdseye maple



12221
amber

A linear subtle textile-like quality with a hint of pearlescence
for added depth and allure.

parallels



12205 beach grass

quantum guard™ hp



low maintenance: high priority

There are numerous low-maintenance floor options in the industry. But to tell the truth, only one technology can legitimately make (and live up to) that claim: Mannington Commercial's Quantum Guard™ HP. Compared to standard resilient floors, it is superior by every critical measure: appearance, appearance retention, clean-ability durability and slip retardance.

What is Quantum Guard™ HP?

Technically speaking, it is Mannington's patented high-performance wear layer with a urethane Aluminum Oxide topcoat cured by a UV (ultra violet) process.

What is Aluminum Oxide?

A very hard, very tough natural-occurring mineral aggregate. Just how hard? On the moh (measure of hardness) scale, diamond is a ten, Aluminum Oxide is a nine!

What are the advantages?

- Low maintenance floor
- Superior appearance retention
- Unsurpassed cleanability and durability
- Provides slip retardance compared to standard resilient floors
- Can eliminate the need for polish over an extended period of time
- 5 Year Finish Warranty

What are the environmental benefits?

Quantum Guard HP can eliminate the need for harsh cleaning agents, strippers and polishes due to its cleanability and durability. Our products are 3rd party certified via the FloorScore IAQ testing program and meet CHPS 01350 IAQ.



mannington lifelines II™ 1,000 Cycles



competitor 1,000 Cycles

Stain & Wear Performance Test Developed to visually demonstrate stain performance after wear.

Wear Simulation Each Sample tested was exposed to elliptical cycles of 80 grit emery cloth.

Stain Agent The stainant used was 2% Solvent Brown 22 in mineral spirits. This stainant is a strong indicator of general stain performance in vinyl flooring. Third Party Certified by S.G.S. US Testing.

nature's paths select

birdseye maple

fiera

fresco

parallels

stonewash

FEATURES

Inspired by textures of stone and steel, Nature's Paths Select tile offers styles that are inviting and truly distinct.

Nature's Paths Select achieves remarkable realism, which combines the latest advances in imaging, texturing and finishing creating the most authentic products.

Quantum Guard™ HP is Mannington's patented high performance wearlayer with a urethane aluminum oxide topcoat cured by a UV process. A low maintenance floor providing superior appearance retention, cleanability, durability and slip retardance.

Quantum Guard™ HP can eliminate the need for polish over an extended period of time depending upon the amount of commercial traffic. While not rated for ramps, the Quantum Guard™ HP finish provides an enhanced level of traction and protection against slip compared to standard resilient floors.

Nature's Paths Select is highly resistant to scratching, cracking and tearing. Allows for heavy rolling loads and foot traffic.

Edges and corners are carefully milled and the flexible construction makes for an easy installation.

Limited 10-Year Commercial Warranty. Limited 5-Year Quantum Guard™ HP Finish Warranty.



- Certified under FloorScore - an independent 3rd Party IAQ verification system for low emitting flooring. Approved as CHPS 01350 compliant and recognized in LEED EQ Credit 4.3
- Adhesives meet VOC Content limit of SCAQMD Rule #1168 and can contribute to LEED IEQ Credit 4.1
- ISO 9001 registered manufacturing facility
- Contributes to LEED Credits